
# eppendorf



# Accelerate Your Research

Spin the smart way with your new Centrifuge 5910 Ri



# Designed with Your Challenges in Mind

An effortless operation was the primary goal when developing the new user interface of Centrifuge 5910 Ri. Setting new parameters can now be done in seconds via the favorites function. Up to 99 frequently-used programs are directly accessible on the home screen. Documentation features and the customized reminder function ensure that Centrifuge 5910 Ri will guickly become your new best friend on the bench.



Outstanding user experience Multipurpose centrifuges are often shared between a multiplicity of users, each of them with different applications and levels of experience. This means changing rotors, buckets or adapters back and forth, resetting parameters and checking settings that might be hidden somewhere deep down in the menu.

With the new Centrifuge 5910 Ri, these struggles finally belong to the past. It has been designed to simplify your daily centrifugation tasks, so that you can focus on what is really important: your results.



Reliable performance and safety

why the temperature management system of Centrifuge 5910 Ri goes beyond just cooling – it offers the latest in cooling technology, including rapid pre-cooling and patented Dynamic Compressor Control (DCC) technology to maintain a steady temperature throughout the run. Additional safety features such as automatic rotor recognition, built-in imbalance sensors and a motor-driven lid lock ensure your peace of mind.

# Your samples are valuable, which is



#### Supporting your lab – now and in the future

Multiple users performing a variety of applications in different vessel formats can make centrifugation a challenge. With our unique Universal rotor design concept, constant changing of rotors, buckets, and adapters is a thing of the past for many common applications. A diverse collection of 10 rotor options enable spinning of a wide array of vessels at various speeds, supporting your work now and into the future.

# Enabling You to Focus on What Matters Most – Your Results



See Centrifuge 5910 Ri virtually on your lab bench – via the Augumented Reality function in our Eppendorf App!



Download the Eppendorf App here:

App Store



## Excellent Versatility – With 10 Different Rotors

Centrifuge 5910 Ri is our most versatile benchtop centrifuge. With a comprehensive portfolio of fixed-angle and swing-bucket rotors, it was designed to accommodate a particularly broad spectrum of applications.


- > High capacity of up to 4 x 1 L per run
- > Speeds of up to 22,132 x q
- > 10 different rotors tailored to your needs
- > Universal rotor accomodates tubes, plates and bottles in iust one bucket
- > Three unique Universal adapters accomodate different vessel formats in one adapter – saving time, space and money




## Centrifugation Simplified – With Our Universal Concept

In labs with many different users, a variety of vessels and plates are used, presenting a daily challenge when it comes to centrifugation. To help you with this challenge, we came

up with our unique Universal adapters: Three innovative adapters accomodate a selection of tubes, plates and bottles:



#### Rotor Portfolio of Centrifuge 5910 Ri



## **Operation Made Easy**

0 s	5 min	15min		
		Tomin	30 min	1h
21°C	4*C	10°C	21°C	37°C
0 rcf	400 rcf	6000rcf	10000rcf	15000rcf
		Favorites	Programs	
8	•	0		to the second
	21 °C	21°C 4°C 0ref 400ref	21 °C 4°C 10°C 0ref 400ref 6000ref Feedbas	21 °C     4°C     10°C     21°C       0ref     400ref     6000ref     10000ref       Reveales     Programs       8     >     3     0





Eppendorf Centrifuge 5910 Ri 7

Favorites function:

Change paramenters like time, temperature and speed in just seconds

Program function: Quickly access frequently-used protocols for

Monitor the centrifuge status from across

the room in a single glance.



See how this works in a video: https://eppendorf.group/p1nusa



See how this works in a video: https://eppendorf.group/2hdmk0

# Documentation at Your Fingertips



Track user access and digitally document

time, temperature, ramps, and other events

all runs – including parameters such as



#### User management

Manage your data and protect your samples with 3 levels of passwordprotected user access



See how this works in a video: https://eppendorf.group/k352m7

Admin		/	Rotor S-4×Univers	al	Centrifuge 5910 Ri
	ontent you v	Exporting			×
	Events	Writing to USB driv	e "USB".		
	System I	Events		Done	
	Run Rec	System Information for	r Service		
	Run Reco	Run Records (PDF) Run Records (CSV)		2/16 8/16	Export
	2	8	•	0	

#### USB export of run records

Easily transport your data in a PDF or CSV file using the front-mounted USB port and import into digital lab software such as eLABJournal<sup>®</sup> (see page 9).



Run records & event logs

See how this works in a video: https://eppendorf.group/n8jz0c

## Large run screen: increased efficiency and repeatable results

# Limited Lab Space? Just Roll With It!

The new Eppendorf mobile tables save precious benchtop space and provide the freedom and flexibility to use your Centrifuge 5910 Ri wherever you need it. The rolling tables are available in two options – low for a convenient under-bench storage of the device or high for an ergonomic working height.



## Efficient Documentation and Research Data Tracking

### 

The eLABJournal Electronic Lab Notebook offers an intuitive and flexible solution for documenting, organizing, searching, and archiving collected data.

- > Intuitive user interface for easy handling
- > Upload and link any type of file and link it to your experiment for safe documentation
- > eLABJournal has various free add-ons to provide seamless integration and expand your possibilities
- > Centralize your experimental data to encourage collaboration and ensure compliance with a full audit trail
- > Supports 21 CFR part 11



For more information, visit: www.eLABJournal.com/eppendorf

		Logged in as: Jan B	Cr 🖂	Logout		
	AĽ	My Profile My Account	Apps & Connections	My Groups		
Journal Inventory P						
ashboard Experiment Browser	Timeline Projects Studies Experiment List					
ort by date Sort by name   My demo Study -   My Experiment	Derewse Back PDF Restore Log		Complete Sign	Collaborate 3		
Introduction	My Experiment /					
국 Medium 국 Calculations 국 Gal	Project: My demo Project Study: My demo Study Created By: Jan Bebermeler	Statu Expe Creat Due c	rimentID: 00100000000 ed: 2017-07-18 9.1	1169022 56 am		
			© Toggle colla	pse all sections		
	Introduction		8	× ≡		
	2017-07-18					
	This report discusses an experiment to study the relationship of temperature and pressure of an ideal gas (air) that was heated in a closed container. Because the ideal gas use in a closed container, its volume remained constant. The objective of the experiment is to text whether the ideal equation of state holds. In the					
	equation, pV = mRT					
	where p is the pressure the gas, V is the volume, m is the mass, R is a constant, and T is temperature. This report presents the procedures for the experiment, the experiment's results, and an analysis of those results.					
	experiment's results, and an analysis of those results.		created: 2017-07-18 last updated: 2017-07-18	Jan Bedermeier Jan Bedermeier		
	experiment's results, and an analysis of those results.		last updated: 2017-07-18	An Bebermeier		

#### Start a free 30-day trial! Visit www.eLABJournal.com/eppendorf

# Stay Connected – Centrifuge 5910 Ri and VisioNize®



Centrifuge 5910 Ri is a VisioNize-onboard device, that can be connected to our VisioNize Lab Suite immediately.

#### By connecting Eppendorf devices to the VisioNize Lab Suite, you can:

- > Remotely monitor device performance
- > Receive notifications if there's an alarm or event
- > Gain access to device information through the device management view



#### Premium Services for Your Centrifuges



#### Centrifuge Service and Extended Warranty Agreements

An annual inspection and maintenance of centrifuges and rotors by an Eppendorf certified service technician is highly recommended to ensure a safe working environment and consistent instrument performance.

#### **Qualification Services**

Installation Qualification (IQ) and Operational Qualification (OQ) services make sure that temperature accuracy, rotational speed and operating time meet manufacturer's specifications.



For further information on services from cost-efficient to all-inclusive care packages offered in your area, please visit: www.eppendorf.com/epServices

#### VisioNize helps you to:

- > Manage your lab remotely from anywhere at anytime
- > Increase productivity and avoid lab equipment
- downtime through customized notifications
- > Easily create device data documentation

### The VisioNize product family also includes many other Eppendorf devices:

- > CryoCube® F740hi ULT freezer
- > Innova® S44i biological shaker
- > CellXpert<sup>®</sup> C170i CO2 incubator
- > Mastercycler® X50 PCR cycler
- > SciVario® twin Fermenter/Bioreactor Control System

#### www.eppendorf.com/visionize



# eppendorf

**Ordering information** 

Description	Order no.
Centrifuge 5910 Ri*1, refrigerated	See QR code below table
Rotor	
Rotor S-4xUniversal	5895 200 001
Rotor S-4x750	5895 120 008
Rotor S-4x500	5895 170 005
Rotor S-4x400	5895 180 000
Rotor FA-6x250	5895 175 007
Rotor FA-6x50	5895 150 004
Rotor FA-20x5	5895 130 003
Rotor FA-48x2	5895 135 005
Rotor FA-30x2	5895 155 006
Rotor F-48x15	5895 160 000
Adapter	
Universal adapter 1 for 5.0 mL tubes, 15 mL conical tubes, MTP/DWP	5910 752 008
Universal adapter 2 for 25 mL and 50 mL conical tubes, MTP	5910 769 008
Universal adapter 3 for 25 mL and 50 mL conical tubes, 250 mL bottles, MTP	5910 751 001
Accessories	
Mobile table for under bench storage (low design), fits under standard 90 cm lab benches with centrifuge lid closed, for Centrifuge 5804/5804 R, 5810/5810 R, 5910 Ri and 5920 R	5921 000 010
Mobile table for ergonomic loading and unloading (high design), fits in any empty floor space, for Centrifuge 5804/5804 R, 5810/5810 R, 5910 Ri and 5920 R	5921 000 012

\*1 For ordering information, please check our local website or contact your local sales representative. www.eppendorf.com/Centrifuge-5910Ri



See a more detailed overview of the adapters: https://eppendorf.group/zisl8q





#### Now easier!

Registering your Eppendorf products is now easier with the Eppendorf App and receive exclusive benefits in the future. For each registration you can receive up to 100 epPoints®. Find out more: www.eppendorf.com/product-registration



Your local distributor: www.eppendorf.com/contact Eppendorf SE · Barkhausenweg 1 · 22339 Hamburg · Germany eppendorf@eppendorf.com · www.eppendorf.com

#### www.eppendorf.com/accelerate-your-research

App Store® is a trademark of Apple Inc., registered in the U.S. and other countries. - Google Play and the Google Play logo are trademarks of Google LLC. The eLABJournal logo is a registered trademark of Bio-ITech BV, Netherlands. Eppendorf®, the Eppendorf Brand Design, CryoCube®, Innova®, CellXpert®, Mastercycler® and SciVario®, VisioNize® and the VisioNize logo are registered trademarks of Eppendorf SE, Germany. U.S. Design Patents are listed on www.eppendorf.com/ip. - All rights reserved, including graphics and images. - Copyright © 2022 by Eppendorf SE. Order No.: AA01 019 320/EN2/PDF/0322/SSO